

FAVORIT

Technical Data Sheet

Favorit Diesel CD SAE 15W-40 API CD/SF



Packages:

1L, 4L, 5L, 20L, 60L, 208L

Meets the requirements and specifications:

SAE 15W-40

API CD/SF

[EN] Favorit Diesel CD SAE 15W-40 API CD/SF multipurpose multigrade engine oil with mineral basis for high-augmented diesel engines of passenger cars and trucks with turbocharge. It can be used in gasoline engines. Perfectly balanced additives effectively protect from wear-out and prevent corrosion. Reduces sooting and carbon formation. Provides safe lubrication and engine cleanness at any usage conditions.

[RU] Favorit Diesel CD SAE 15W-40 API CD/SF всесезонное универсальное моторное масло на минеральной основе, предназначенное для дизельных двигателей легковых, малых грузовых автомобилей и микроавтобусов. Возможно использование в бензиновых двигателях. Тщательно сбалансированный пакет присадок эффективно снижает саже- и нагарообразование, защищает от коррозии, обеспечивает чистоту и надежную смазку деталей, предотвращает образование высокотемпературных отложений.

Precautions: Avoid getting oil on the exposed areas. Wear protective gloves. In case of contact with eyes and mouth, rinse immediately with water and non-necessity consult a doctor. To remove the skin with soap. Dispose of waste oil in the designated areas. Do not discharge into the channel still apply, soil and water. Keep away from fire!

Storage conditions: Store in a tightly closed container at a temperature between -30°C to +30°C in a dry protected from direct sunlight place, away from source of ignition.

The shelf life of the oil for 5 years from date of manufacture.

Product Characteristics:

Name of indicator	Test methods	Value
Kinematic viscosity mm ² /c at 40 °C	STB ISO 3104-2003	101,86
Kinematic viscosity mm ² /c at 100 °C	STB ISO 3104-2003	13,43
Viscosity index	STB 1797	130,7
Flash poin, °C	GOST 4333	224
Pour point, °C	GOST 20287	-30
TBN, g KOH/kg	GOST 11362	6
Density at 20°C, kg/m ³	GOST 3900	877

The data provided is based on standard laboratory tests and given only as a reference. The indicators can vary within the permissible range.

Приведённые данные основаны на стандартных тестах в лабораторных условиях и предоставляются только как справочные.

Показатели могут варьироваться в пределах допустимой нормы.