

Technical Data Sheet

Favorit Truck FDS-4 SAE 15W-40 API CI-4/CH-4/CG-4/CF-4/CF/SL



Packages:
20L, 60L, 208L

Meets the requirements and specifications:
API CI-4/CH-4/CG-4/CF-4/CF/SL

[EN] Favorit Truck FDS-4 SAE 15W-40 API CI-4/CH-4/CG-4/CF-4/CF/SL multipurpose multigrade engine oil on a mineral basis for heavily loaded diesels of lorries and modern construction equipment, regular buses, tractors and special vehicles. Increased thermal-oxidative stability of the oil provides an increase in resource and stability of operational properties.

[RU] Favorit Truck FDS-4 SAE 15W-40 API CI-4/CH-4/CG-4/CF-4/CF/SL всесезонное универсальное моторное масло на минеральной основе, предназначенное для высоконагруженных дизелей грузовых автомобилей, современной строительной техники, рейсовых автобусов, тягачей и специального автотранспорта. Повышенная термоокислительная стабильность масла обеспечивает увеличение ресурса и стабильность эксплуатационных свойств.

Precautions: Avoid getting oil on the exposed areas. Wear protective gloves. In case of contact with eyes and mouth, rinse immediately with water and non-necessity consult a doctor. To remove the skin with soap. Dispose of waste oil in the designated areas. Do not discharge into the channel still apply, soil and water. Keep away from fire!

Storage conditions: Store in a tightly closed container at a temperature between -30°C to +30°C in a dry protected from direct sunlight place, away from source of ignition.

The shelf life of the oil for 5 years from date of manufacture.

Product Characteristics:

Name of indicator	Test methods	Value
Kinematic viscosity mm ² /c at 40 °C	STB ISO 3104-2003	105,92
Kinematic viscosity mm ² /c at 100 °C	STB ISO 3104-2003	13,7
Viscosity index	STB 1797	128,98
Flash poin, °C	GOST 4333	226
Pour point, °C	GOST 20287	-27
TBN, g KOH/kg	GOST 11362	10
Density at 20°C, kg/m ³	GOST 3900	882

The data provided is based on standard laboratory tests and given only as a reference. The indicators can vary within the permissible range.

Приведённые данные основаны на стандартных тестах в лабораторных условиях и предоставляются только как справочные.

Показатели могут варьироваться в пределах допустимой нормы.