

FAVORIT

Technical Data Sheet

Favorit Gasol SG SAE 10W-40 API SG/CD



Packages:

1L, 4L, 5L, 20L, 60L, 208L

Meets the requirements and specifications:

SAE 10W-40
API SG/CD

[EN] Favorit Gasol SG SAE 10W-40 API SG/CD multipurpose multigrade engine oil specially manufactured for engines operating with natural gas. The oil is characterized by very good washing abilities, prevents burnout of valves, reduces the formation of plaque and other deposits in the engine, protects rings from sticking due to low ash content. Can be used in gasoline and diesel engines.

[RU] Favorit Gasol SG SAE 10W-40 API SG/CD всесезонное универсальное полусинтетическое моторное масло, предназначенное для двигателей, работающих на газу. Масло отличается очень хорошими моющими способностями, предотвращает прогорание клапанов, сокращает образование в двигателе налета и других отложений, защищает кольца от залипания за счет низкой зольности. Применяется в бензиновых и дизельных двигателях.

Precautions: Avoid getting oil on the exposed areas. Wear protective gloves. In case of contact with eyes and mouth, rinse immediately with water and non-necessity consult a doctor. To remove the skin with soap. Dispose of waste oil in the designated areas. Do not discharge into the channel still apply, soil and water. Keep away from fire!

Storage conditions: Store in a tightly closed container at a temperature between -30°C to +30°C in a dry protected from direct sunlight place, away from source of ignition.

The shelf life of the oil for 5 years from date of manufacture.

Product Characteristics:

Name of indicator	Test methods	Value
Kinematic viscosity mm ² /c at 40 °C	STB ISO 3104-2003	103,92
Kinematic viscosity mm ² /c at 100 °C	STB ISO 3104-2003	13,94
Viscosity index	STB 1797	135,43
Flash poin, °C	GOST 4333	224
Pour point, °C	GOST 20287	-30
TBN, g KOH/kg	GOST 11362	7,7
Density at 20°C, kg/m ³	GOST 3900	877

The data provided is based on standard laboratory tests and given only as a reference. The indicators can vary within the permissible range.
Приведённые данные основаны на стандартных тестах в лабораторных условиях и предоставляются только как справочные.
Показатели могут варьироваться в пределах допустимой нормы.